



DGR100-50A H=50.5mm
IEC 800V/100A 35mm²
UL 600V/101A 20-2AWG
Poles 1P-XXP



DG78R-B
750V/41A 6.0mm²
600V40A 18-10AWG
Poles 2P-20P



DGR100-60A H=50.5mm
IEC 800V/100A 35mm²
UL 600V/101A 20-2AWG
Poles 1P-XXP



DGR175 H=48.0mm
IEC 800V/175A 70mm²
UL 600V/175A 20-2/0AWG
Poles 1P-XXP



DGR175-20A H=48.0mm
IEC 800V/175A 70mm²
UL 600V/175A 20-2/0AWG
Poles 1P-XXP



DG048
600V/10A
Poles 2P



DS2.5PH
320V/20A 0.2-2.5mm²
UL 300V/13A 24-16AWG



DS2.5RH
—
—




DS2.5K3
500V/20A 0.75-2.5mm²
UL 300V/13A 18-14AWG



DS2.5K6
500V/20A 0.75-2.5mm²
UL 300V/13A 18-14AWG



DS2.5K3-CLAMP
— 0.75-2.5mm²
— 18-14AWG



DS series
The product is designed according to IEC/EN60947, UL1059, CSA C22.2 No. 158.



DS1.5
500V/17.5A 0.2-1.5mm²
600V/15A 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5
800V/24A 0.2-4mm²
600V/20A 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4
800V/32A 0.2-6mm²
600V/30A 24-10AWG
T/W/End plate 6.2/56/1.5mm



DS6
1000V/41A 0.5-10mm²
600V/50A 20-8AWG
T/W/End plate 8.2/57.7/1.5mm




DS10
1000V/57A 0.5-16mm²
600V/65A 20-6AWG
T/W/End plate 10.2/67.7/1.5mm



DS16
1000V/76A 0.5-25mm²
UL 600V/85A 20-4AWG
T/W/End plate 12.2/75.4/2.2mm




DS1.5-PE
— 0.2-1.5mm²
— 26-14AWG
T/W/End plate 3.5/45/1.5mm



DS2.5-PE
— 0.2-4mm²
— 26-12AWG
T/W/End plate 5.2/48.5/1.5mm



DS4-PE
— 0.2-6mm²
— 24-10AWG
T/W/End plate 6.2/56/1.5mm




DS6-PE
— 0.5-10mm²
— 20-8AWG
T/W/End plate 8.2/57.7/1.5mm



DS10-PE
— 0.5-16mm²
— 20-6AWG
T/W/End plate 10.2/67.7/1.5mm




DS16-PE
— 0.5-25mm²
— 20-4AWG
T/W/End plate 12.2/75.4/2.2mm




DS1.5-TW
500V/17.5A 0.14-1.5mm²
300V/15A 26-14AWG
T/W/End plate 3.5/54/1.5mm




DS2.5-TW
800V/24A 0.2-4mm²
600V/20A 26-12AWG
T/W/End plate 5.2/60.5/2.2mm




DS4-TW
800V/32A 0.2-6mm²
600V/30A 24-10AWG
T/W/End plate 6.2/66.5/2.2mm




DS6-TW
1000V/41A 0.5-6mm²
UL 600V/40A 20-8AWG
T/W/End plate 8.2/57.7/1.5mm




DS1.5-TW-PE
— 0.14-1.5mm²
— 26-14AWG
T/W/End plate 3.5/63.2/1.5mm




DS2.5-TW-PE
— 0.2-4mm²
— 26-12AWG
T/W/End plate 5.2/60.5/2.2mm




DS4-TW-PE
— 0.2-6mm²
— 24-10AWG
T/W/End plate 6.2/66.5/2.2mm




DS1.5-QU
500V/17.5A 0.14-1.5mm²
UL 300V/15A 26-14AWG
T/W/End plate 3.5/63.2/1.5mm




DS2.5-QU
800V/24A 0.2-4mm²
600V/20A 26-12AWG
T/W/End plate 5.2/72.20/2.2mm




DS4-QU
800V/32A 0.2-6mm²
600V/30A 24-10AWG
T/W/End plate 6.2/77/2.2mm



DS1.5-QU-PE
— 0.14-1.5mm²
— 26-14AWG
T/W/End plate 3.5/63.2/1.5mm



DS2.5-QU-PE
— 0.2-4mm²
— 26-12AWG
T/W/End plate 5.2/72.20/2.2mm




DS4-QU-PE
— 0.2-6mm²
— 24-10AWG
T/W/End plate 6.2/77/2.2mm



D-DS1.5 - DS1.5, DS1.5-PE



D-DS1.5-TW - DS1.5-TW, DS1.5-TW-PE



D-DS1.5-QU - DS1.5-QU, DS1.5-QU-PE



D-DS2.5 - DS2.5, DS2.5-PE



D-DS2.5-TW - DS2.5-TW, DS2.5-TW-PE



D-DS2.5-QU - DS2.5-QU, DS2.5-QU-PE



D-DS4 - DS4, DS4-PE



D-DS4-QU - DS4-QU, DS4-QU-PE



D-DS4-TW - DS4-TW, DS4-TW-PE



D-DS6 - DS6, DS6-PE



D-DS10 - DS10, DS10-PE



D-DS16 - DS16, DS16-PE




DSKK2.5
500V/22A 0.2-4mm²
300V/20A 26-12AWG
T/W/End plate 5.2/68.2/2.2mm



DSKK2.5-50A
500V/22A 0.2-4mm²
300V/20A 26-12AWG
T/W/End plate 5.2/68.2/2.2mm



DSKK2.5-PE
— 0.2-4mm²
— 26-12AWG
T/W/End plate 5.2/68.2/2.2mm



D-DSKK2.5 - DSKK2.5, DSKK2.5-PE



DSKK4
500V/32A 0.2-6mm²
300V/28A 24-10AWG
T/W/End plate 6.2/83.5/2.2mm



DSKK4-50A
500V/32A 0.2-6mm²
300V/28A 24-10AWG
T/W/End plate 6.2/83.5/2.2mm




D-DSKK4 - DSKK4



DFB1.5 DFB2.5 DFB4 DFB6 DFB10 DFB16
DFB1.5-DS1.5/DS1.5-TW/DS1.5-QU
DFB2.5-DS2.5/DS2.5-TW/DS2.5-QU/DSK2.5
DFB4-DS4/DS4-TW/DS4-QU/DSKK4
DFB6-DS6
DFB10-DS10
DFB16-DS16



DS2.5-3L
500V/20A 0.2-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.2/102/2.2mm




DS2.5-3L-50A
500V/20A 0.2-4mm²
UL 300V/20A 26-12AWG
T/W/End plate 5.2/102/2.2mm




DS2.5-3L-PE
— 0.2-4mm²
— 26-12AWG
T/W/End plate 5.2/102/2.2mm




D-DS2.5-3L - DS2.5-3L



DC series
The product is designed according to IEC/EN60947, UL1059, CSA C22.2 No. 158.



DC2.5
800V/24A 0.2-4mm²
600V/25A 26-12AWG
T/W/End plate 5.1/44.5/1.5mm



DC4
1000V/32A 0.2-6mm²
600V/30A 22-10AWG
T/W/End plate 6.1/44.5/1.5mm



DC6
1000V/41A 0.2-10mm²
600V/50A 22-8AWG
T/W/End plate 8.0/45.0/1.5mm




DC10
1000V/57A 0.5-16mm²
600V/65A 20-6AWG
T/W/End plate 10/43.9/1.5mm




DC16
1000V/76A 0.5-25mm²
600V/100A 14-3AWG
T/W/End plate 12/52.8/1.5mm




DC35
1000V/125A 2.5-50mm²
600V/150A 14-1/0AWG
T/W/End plate 16/55.4/-mm




DC2.5-PE
— 0.2-4mm²
— 26-12AWG
T/W/End plate 5.1/44.5/1.5mm



DC4-PE
— 0.2-6mm²
— 22-10AWG
T/W/End plate 6.1/44.5/1.5mm



DC6-PE
— 0.2-10mm²
— 22-8AWG
T/W/End plate 8.0/45/1.5mm



DC10-PE
— 0.5-16mm²
— 20-6AWG
T/W/End plate 10/43.9/1.5mm



DC16-PE
— 1.5-25mm²
— 12-4AWG
T/W/End plate 12/41/1.5mm



DC35-PE
— 2.5-50mm²
— 14-1/0AWG
T/W/End plate 16/55.4/-mm



D-DC2.5 D-DC4 D-DC6 D-DC10 D-DC16
D-DC2.5-DC2.5, DC2.5-PE
D-DC4-DC4, DC4-PE
D-DC6-DC6, DC6-PE
D-DC10-DC10, DC10-PE
D-DC16-DC16, DC16-PE




DCTK6
630V/41A 10mm²
UL 300V/45A 26-8AWG
T/W/End plate 8/72.0/1.5mm



D-DCTK6 - DCTK6



DC4-HE
500V/6.3A 0.5-6mm²
UL 600V/6.3A 20-10AWG
T/W/End plate 8/58/1.5mm



D-DC4-HE - DC4-HE

DC2.5-TW CE 1000V/24A 0.2-4mm² UL 600V/20A 22-12AWG T/W/End plate 5.1/48.7/1.5mm	D-DC2.5-TW D-DC2.5-DS2.5-TW, DS2.5-TW-PE	DCKKB2.5 CE 500V/24A 0.5-4mm² UL 300V/20A 26-12AWG T/W/End plate 5.1/76/1.5mm	DCKKB2.5-50A CE 500V/24A 0.5-4mm² UL 300V/20A 26-12AWG T/W/End plate 5.1/76/1.5mm	D-DCKKB2.5 D-DCKKB2.5 - DCKKB2.5	FBRI6-RTK/S FBRI6-RTK/S - DCTK6
DFA2.5 DFA4 DFA6 DFA10 DFA16 DFA35 DFA2.5 - DC2.5, DC2.5-TW, DCKKB2.5 DFA4 - DC4 DFA6 - DC6 DFA10 - DC10 DFA16 - DC16 DFA35 - DC35	TPS TPS - DCTK6				
PC series The product is designed according to IEC/EN60947, UL1059, CSA C22.2 No. 158.	PC1.5 500V/17.5A 0.2-1.5mm² UL 300V/12A 26-16AWG T/W/End plate 4.2/42.5/1.5mm	PC2.5B 800V/24A 0.2-2.5mm² UL 600V/20A 24-12AWG T/W/End plate 6.2/42.5/1.5mm	PC2.5 800V/24A 0.2-2.5mm² UL 600V/20A 24-12AWG T/W/End plate 5.2/42.5/1.6mm	PC4 800V/32A 0.2-4mm² UL 600V/30A 24-10AWG T/W/End plate 6.2/42.5/1.6mm	PC6 800V/41A 0.2-6mm² UL 600V/50A 24-8AWG T/W/End plate 8.2/42.5/1.6mm
PC10 800V/57A 0.2-10mm² UL 600V/65A 20-6AWG T/W/End plate 10.2/42.5/1.6mm	PC16 800V/76A 0.2-16mm² UL 600V/85A 12-4AWG T/W/End plate 12.2/42.5/1.5mm	D-PC1.5, D-PC2.5, D-PC16 D-PC1.5 - PC1.5, PC2.5B D-PC2.5 - PC2.5, PC4, PC6, PC10 D-PC16 - PC16	PC35 1000V/125A 0.2-35mm² UL 600V/150A 18-10AWG T/W/End plate 15.2/50/-mm	PC50 CE 1000V/150A 25-50mm² UL 600V/125A 6-1/0AWG T/W/End plate 20/70.5/-mm	PC95 IEC 1000V/232A 35-95mm² UL 300V/85A 4-3/0AWG T/W/End plate 25/83/-mm
PC10-105AH CE 800V/57A 0.2-10mm² UL 600V/65A 20-6AWG T/W/End plate 10.2/42.5/1.6mm	PC16-105AH CE 800V/76A 0.2-16mm² UL 600V/85A 12-4AWG T/W/End plate 12.2/42.5/1.5mm	PC35-105AH CE 1000V/125A 0.2-35mm² UL 600V/150A 18-10AWG T/W/End plate 12.2/42.5/1.5mm	PC2.5-PE CE 0.2-2.5mm² UL 24-12AWG T/W/End plate 5.2/42.5/-mm	PC4-PE CE 0.2-4mm² UL 24-10AWG T/W/End plate 6.2/42.5/-mm	PC6-PE CE 0.2-6mm² UL 24-10AWG T/W/End plate 8.2/42.5/-mm
PC10-PE CE 0.2-10mm² UL 24-6AWG T/W/End plate 10.2/42.5/-mm	PC16-PE CE 0.2-16mm² UL 12-4AWG T/W/End plate 12.2/42.5/-mm	PC35-PE CE 0.2-35mm² UL 18-2AWG T/W/End plate 15.2/50/-mm	PC50-PE CE 25-50mm² UL 6-1/0AWG T/W/End plate 20/70.5/-mm	PC2.5-TW CE 400V/24A 0.2-2.5mm² UL 300V/20A 30-12AWG T/W/End plate 5.2/50.5/2mm	PC4-TW CE 500V/32A 0.2-4mm² UL 300V/30A 30-10AWG T/W/End plate 6.2/50.5/2mm
D-PC4-TW D-PC4-TW-PC2.5-TW, PC4-TW	PC2.5-TW-PE CE 0.2-2.5mm² UL 24-14AWG T/W/End plate 5.2/50.5/-mm	PC4-TW-PE CE 0.2-4mm² UL 24-12AWG T/W/End plate 6.2/50.5/-mm	PCDK2.5 500V/24A 0.2-2.5mm² UL 300V/20A 24-12AWG T/W/End plate 5.2/63.5/1.5mm	PCDK4 630V/32A 0.2-4mm² UL 300V/30A 24-10AWG T/W/End plate 6.2/63.5/1.5mm	D-PCDK2.5 D-PCDK2.5 - PCDK2.5, PCDK4

PCDK2.5-PE CE 0.2-2.5mm² UL 24-12AWG T/W/End plate 5.2/63.5/-mm	PCDK4-PE CE 0.2-4mm² UL 24-10AWG T/W/End plate 6.2/63.5/-mm	PCKK2.5 500V/24A 0.2-2.5mm² UL 300V/20A 24-12AWG T/W/End plate 5.2/56/2.6mm	PCKK2.5-50A CE 500V/24A 0.2-2.5mm² UL 300V/20A 24-12AWG T/W/End plate 5.2/56/2.6mm	PCKK4 500V/32A 0.2-4mm² UL 300V/30A 26-10AWG T/W/End plate 6.2/56/2.6mm	PCKK4-PE CE 0.2-4mm² UL 26-10AWG T/W/End plate 6.2/56/-mm
D-PCKK2.5 D-PCKKB2.5 D-PCKKB10 D-PCKKB10/2.5 D-PCKK2.5 - PCKK2.5, PCKK4 D-PCKKB2.5 - PCKKB2.5, PCKKB4 D-PCKKB10 - PCKKB10 D-PCKKB10/2.5 - PCKKB10/2.5	DP-PCKK2.5 DP-PCKK2.5 - PCKK2.5, PCKK4 PCKK4-PE PCKK4-PE PCKK4-PE	PCIK16 CE 400V/76A 4-16mm² UL 300V/85A 12-4AWG T/W/End plate 12.2/42.5/1.8mm	D-PCIK16 D-PCIK16 - PCIK16	PCIK35 IEC 600V/125A 0.75-35mm² UL 300V/85A 18-2AWG T/W/End plate 15.2/55/-mm	PC4-HE CE 800V/6.3A 0.2-4mm² UL 600V/12A 24-12AWG T/W/End plate 8.2/72.5/-mm
PC10-DR CE 800V/10A 0.5-10mm² UL 600V/20A 24-6AWG T/W/End plate 12/62/-mm	PCMT2.5 CE 400V/16A 0.2-2.5mm² UL 300V/85A 24-12AWG T/W/End plate 5.2/46/1mm	PCMT4 CE 800V/16A 0.2-4mm² UL 300V/85A 24-12AWG T/W/End plate 6.2/51/-mm	D-PCMT2.5 D-PCMT2.5 - PCMT2.5	PCTK6 CE 630V/41A 6mm² UL 300V/40A 26-8AWG T/W/End plate 8.2/72/2mm	D-PCTK6 D-PCTK6 - PCTK6
PCTK6-BEN CE 400V/41A 0.5-6mm² UL 300V/40A 26-10AWG T/W/End plate 8.2/61/2.2mm	D-PCTK6-BEN D-PCTK6-BEN - PCTK6-BEN	PCMB2.5 CE 400V/24A 0.2-2.5mm² UL 300V/20A 28-12AWG T/W/End plate 5.2/28/1.5mm	PCMB4 CE 500V/32A 0.2-4mm² UL 300V/30A 10-26AWG T/W/End plate 6.2/28/1.5mm	D-PCMB2.5 D-PCMB6/E D-PCMB2.5 - PCMB2.5, PCMB4 D-PCMB6/E - PCMB6/E	E-PC E-PC - NS35/7.5, NS35/15, NS-32
E-PC-DIN15 E-PC-DIN15 - NS15	TS-KK 3 TS-K TS-KK3 - PC2.5B, PCDK2.5, PCDK4, PCKK2.5, PCKK4 TS-K - PC2.5, PC4, PC6, PC10, PC16, PC35, PCKK16, PCKK35, PCMB2.5/4	ATP-PC ATP-PC - PC1.5, PC2.5B, PC2.5, PC4, PC6, PC16, PC16	DBE-1 PC Series	DBE-2 PC Series	PC150 IEC 1000V/309A 50-150mm² UL 300V/85A 2-300MCM T/W/End plate 31/100/-mm
PC240 IEC 1000V/415A 70-240mm² UL 800V/380A 0-500MCM T/W/End plate 36/100/-mm	PC2.5B-PE IEC 0.2-2.5mm² UL 24-12MCM T/W/End plate 6.2/42.5/-mm	PC95-PE IEC 35-95mm² UL 4-3/0AWG T/W/End plate 25/83/-mm	PC10-TW IEC 800V/57A 0.2-10mm² UL 300V/65A 20-6AWG T/W/End plate 10.2/56.5/-mm	PC10-PL IEC 800V/57A 0.2-10mm² UL 600V/65A 20-6AWG T/W/End plate 10.2/53/-mm	PC10-TW-PE IEC 0.2-10mm² UL 20-6AWG T/W/End plate 10.2/56.5/-mm
PC10-PL-PE IEC 0.2-10mm² UL 20-6AWG T/W/End plate 10.2/53/-mm	PC2.5-RE IEC 500V/24A 0.2-2.5mm² UL 300V/20A 24-12AWG T/W/End plate 5.2/47.5/1.5mm	PC4-RE IEC 500V/32A 0.2-4mm² UL 300V/30A 24-10AWG T/W/End plate 6.2/47.5/1.5mm	D-PC2.5-RE D-PC2.5-RE - PC2.5-RE, PC4-RE	PC2.5-RE-PE IEC 0.2-2.5mm² UL 24-12AWG T/W/End plate 5.2/42.5/-mm	PC4-RE-PE IEC 0.2-4mm² UL 24-10AWG T/W/End plate 6.2/42.5/-mm



PCCKB2.5
IEC 500V/24A 0.2-2.5mm²
UL 600V/20A 24-12AWG
T/W/End plate 5.2/67/2.5mm



PCCKB4
IEC 500V/32A 0.2-4mm²
UL 600V/30A 24-12AWG
T/W/End plate 6.2/67/2.5mm




PCCKB10
IEC 500V/57A 0.2-10mm²
UL 600V/65A 20-6AWG
T/W/End plate 10.2/77.5/1.5mm



PCCKB10/2.5
IEC 500V/57A,24A 0.2-10mm²,0.2-2.5mm²
UL 600V/54A,20A 20-6AWG,24-12AWG
T/W/End plate 10.2/77.5/1.5mm



PCIK16-PE
CE — 4-16mm²
UL — 12-4AWG
T/W/End plate 12.5/42.5/-mm




PCMT4-DK
IEC 690V/16A 0.2-4mm²
UL 600V/15A 24-10AWG
T/W/End plate 6.2/63.5/1.5mm




PCTK6/S
IEC 500V/41A 0.5-6mm²
UL 300V/40A 20-8AWG
T/W/End plate 8.2/61/2.2mm




PCTK10-BEN
IEC 500V/57A 0.5-10mm²
UL 300V/40A 20-6AWG
T/W/End plate 8.2/61/1.5mm




PCMB6/E
IEC 500V/41A 0.5-6mm²
UL 300V/50A 20-8AWG
T/W/End plate 8.2/35/1.5mm




PCMB2.5-PE
IEC — 0.2-2.5mm²
UL — 24-12AWG
T/W/End plate 5.2/28/-mm




PCMB4-PE
IEC — 0.2-4mm²
UL — 24-10AWG
T/W/End plate 6.2/28/-mm




PCMB 6/E-PE
IEC — 0.5-6mm²
UL — 20-8AWG
T/W/End plate 8.2/39/-mm



EB 10-5 EB 10-6 EB 10-8 EB 10-12
EB10-5 - PC2.5,PCDK2.5,PCCK2.5,PCMB2.5
EB10-6 - PC2.5B,PC4,PCDK4,PCCK4,PCMB4
EB10-8 - PC6,PC4-HE
EB10-10 - PC10
EB10-12 - PC16,PC10-DR,PCIK16
EB10-15 - PC35,PCIK35



FBRI 10-4 FBRI 10-5 FBRI 10-6 FBRI 10-8 FBRI 10-10 FBRI 10-12
FBRI 10-4 - PC1
FBRI 10-5 - PC2.5,PCDK2.5,PCCK2.5
FBRI 10-6 - PC2.5B,PC4,PCDK4,PCCK4
FBRI 10-8 - PC6
FBRI 10-10 - PC10
FBRI 10-12 - PC16,PC10-DR,PCIK16
FBRI 10-15 - PC35,PCIK35



FB2-RTK/S FB3-RTK/S FB5-RTK/S FB10-RTK/S
FB2/3/5/10-RTK/S - PCTK6



SB2-RTK/S SB4-RTK/S
SB2/4-RTK/S - PCTK6



EBA20-6
EBA20-6 - PCMT4



DLM2
DLM2 - E-PC



DSB
PC Series




DRPS
PC Series



DLM
PC Series



DLM1
PC Series



WS series
The product is designed according to IEC/EN60947, UL1059, CSA C22.2 No. 158.



WS1.5
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/52/2.5mm



WS2.5
CE 800V/24A 0.2-2.5mm²
UL 600V/15A 18-14AWG
T/W/End plate 5/53/2.5mm



WS4
CE 800V/32A 0.2-4mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/59/2.5mm




WS6
CE 800V/41A 0.2-6mm²
UL 600V/20A 24-10AWG
T/W/End plate 8/74.5/2.5mm




WS10
CE 800V/57A 0.2-10mm²
UL 600V/50A 24-8AWG
T/W/End plate 10/78/2.5mm




WS16
CE 800V/76A 0.2-16mm²
UL 600V/65A 24-6AWG
T/W/End plate 12/94.5/2.5mm




WS35
CE 1000V/125A 2.5-35mm²
UL 600V/115A 14-2AWG
T/W/End plate 16/99.9/-mm




WS1.5-PE
CE — 0.2-1.5mm²
UL — 28-16AWG
T/W/End plate 4/52/2mm



WS2.5-PE
CE — 0.2-2.5mm²
UL — 28-12AWG
T/W/End plate 5/53/2.5mm




WS4-PE
CE — 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/59/2.5mm



WS6-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 8/74.5/2.5mm



WS10-PE
CE — 0.2-10mm²
UL — 24-8AWG
T/W/End plate 10/78/2.5mm



WS16-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 12/94.5/2.5mm



WS35-PE
CE — 2.5-35mm²
UL — 14-2AWG
T/W/End plate 16/99.9/2.5mm



D-WS1.5, D-WS2.5 D-WS4, D-WS6 D-WS10, D-WS16
D-WS1.5 - WS1.5, WS1.5-PE
D-WS2.5 - WS2.5, WS2.5-PE
D-WS4 - WS4, WS4-PE
D-WS6 - WS6, WS6-PE
D-WS10 - WS10, WS10-PE
D-WS16 - WS16, WS16-PE



WS1.5-TW
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/62.5/2.5mm



WS2.5-TW
CE 800V/24A 0.2-2.5mm²
UL 600V/15A 28-14AWG
T/W/End plate 5/64/2.5mm



WS4-TW
CE 800V/32A 0.2-4mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/73.5/2.5mm



WS6-TW
CE 800V/41A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 8/93/2.5mm



WS10-TW
CE 800V/57A 0.2-10mm²
UL 600V/50A 24-8AWG
T/W/End plate 16/99.9/-mm



WS16-TW
CE 800V/76A 0.2-16mm²
UL 600V/65A 24-6AWG
T/W/End plate 12/104.5/2.5mm



WS1.5-TW-PE
CE — 0.2-1.5mm²
UL — 28-16AWG
T/W/End plate 4/62.5/2.5mm




WS2.5-TW-PE
CE — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/64/2.5mm




WS4-TW-PE
CE — 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/73.5/2.5mm



WS6-TW-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 8/93/2.5mm



WS10-TW-PE
CE — 0.2-10mm²
UL — 24-8AWG
T/W/End plate 10/97.5/2.5mm



WS16-TW-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 12/104.5/2.5mm



D-WS1.5-TW, D-WS2.5-TW D-WS4-TW, D-WS6-TW D-WS16-TW
D-WS1.5-TW - WS1.5-TW, WS1.5-TW-PE
D-WS2.5-TW - WS2.5-TW, WS2.5-TW-PE
D-WS4-TW - WS4-TW, WS4-TW-PE
D-WS6-TW - WS6-TW, WS6-TW-PE
D-WS10-TW - WS10-TW, WS10-TW-PE
D-WS16-TW - WS16-TW, WS16-TW-PE




WS1.5-QU
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/73/2.5mm




WS2.5-QU
CE 800V/20A 0.2-2.5mm²
UL 600V/15A 28-14AWG
T/W/End plate 5/75/2.5mm




WS4-QU
CE 800V/32A 0.2-4mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/86/2.5mm



WS1.5-QU-PE
CE — 0.2-1.5mm²
UL — 28-16AWG
T/W/End plate 4/73/2.5mm



WS2.5-QU-PE
CE — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/75/2.5mm



WS4-QU-PE
CE — 0.2-4mm²
UL — 28-12AWG
T/W/End plate 6/86/2.5mm



WS1.5-QU-LD
CE 250V/0.5A 0.08-1.5mm²
UL — 28-16AWG
T/W/End plate 5/50/2.5mm




WS1.5-QU-100A
CE 800V/17.5A 0.08-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 5/50.5/2.5mm




D-WS1.5-QU, D-WS2.5-QU D-WS4-QU
D-WS1.5-QU - WS1.5-QU, WS1.5-QU-PE
D-WS2.5-QU - WS2.5-QU, WS2.5-QU-PE
D-WS4-QU - WS4-QU, WS4-QU-PE



D-WS1.5-QU-100A
D-WS1.5-QU-100A - WS1.5-QU-100A



WS2.5-QU-LD
CE 250V/0.5A 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/75/2.5mm



WS2.5P
VDE 500V/22A 0.2-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 5/53/2.5mm



WS2.5P-PE
VDE 500V/22A 0.2-2.5mm²
UL 300V/15A 28-14AWG
T/W/End plate 5/53/2.5mm




D-WS2.5P
D-WS 2.5P - WS 2.5P - WS 2.5P-PE




WS2.5-L
D-WS2.5-L



WS2.5-TW-TA
CE 800V/24A 0.2-2.5mm²
UL 600V/20A 28-14AWG
T/W/End plate 5/50.5/2.5mm



WS2.5-TW-TA-PE
IEC — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/50.5/2.5mm



D-WS2.5-TW-TA D-WS4-TW-TA
D-WS2.5-TW-TA - WS2.5-TW-TA, WS2.5-TW-TA-PE
D-WS4-TW-TA - WS4-TW-TA, WS4-TW-TA-PE



WS1.5-SD
CE 800V/17.5A 0.2-1.5mm²
UL 600V/10A 28-16AWG
T/W/End plate 4/42.5/2.5mm



WS2.5-SD
CE 800V/24A 0.2-2.5mm²
UL 600V/15A 28-14AWG
T/W/End plate 5/42.5/2.5mm



WS4-SD
CE 800V/32A 0.2-4mm²
UL 600V/20A 28-12AWG
T/W/End plate 6/42.5/2.5mm



WS6-SD
CE 800V/41A 0.2-6mm²
UL 600V/30A 24-10AWG
T/W/End plate 8/46.5/2.5mm



WS10-SD
CE 800V/57A 0.2-10mm²
UL 600V/50A 24-8AWG
T/W/End plate 10/52/2.5mm



WS16-SD
CE 800V/76A 0.2-16mm²
UL 600V/65A 24-6AWG
T/W/End plate 12/58/2.5mm



WS2.5-SD-PE
CE — 0.2-2.5mm²
UL — 28-14AWG
T/W/End plate 5/42.5/2.5mm



WS6-SD-PE
CE — 0.2-6mm²
UL — 24-10AWG
T/W/End plate 8/46.5/2.5mm




WS10-SD-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 8/46.5/2.5mm




WS16-SD-PE
CE — 0.2-16mm²
UL — 24-6AWG
T/W/End plate 12/58/2.5mm



D-WS1.5-SD, D-WS2.5-SD D-WS4-SD, D-WS6-SD D-WS10-SD, D-WS16-SD
D-WS1.5-SD - WS1.5-SD
D-WS2.5-SD - WS2.5-SD, WS2.5-SD-PE
D-WS4-SD - WS4-SD, WS4-SD-PE
D-WS6-SD - WS6-SD, WS6-SD-PE
D-WS10-SD - WS10-SD, WS10-SD-PE
D-WS16-SD - WS16-SD, WS16-SD-PE



标记条应用在端子上，按客户需求提供颜色和打印内容。
Labeling strips are applied in upper side of terminal blocks,
Color and printing content are optional according to customer requirements.



Model: DG100

DG100 → TZB4, TSZB4, ZB3.5, ZB4, ZB5, ZB6, ZB8, ZB10, DEK4, DEK5, DEK6, ZW5, ZK5, ZK6, WB4, WB5...